



LASER TOUGH TAG

Genaxy Laser Tough-Tags are laboratory labels formatted for laser printers. These are chemically inert labels that strongly adhere to microtubes, test tubes, storage boxes and other microscope slides. They are temperature resistant from 121°C to -40°C and withstand autoclaving, boiling water baths, freezer temperatures, organic solvents and caustic agents. For best adhesion it is recommended that siliconized surfaces be avoided.

Laser Tough-Tags are perfect for accurately identifying important samples stored in tubes, microplates or boxes that will be autoclaved or stored in moderate freezer temperatures.

Sr. No.	Cat. No.	Size	Ideal Use (Tubes)	Sheet layout	Labels /sheets	Temperature Range	Qty./Pack
1	GEN-LTTAG-SW	0.94 x 0.50"	0.5ml	7x17	119	-40°C to 121°C	2975
2	GEN-LTTAG-SB	0.94 x 0.50"	0.5ml	7x17	119	-40°C to 121°C	2975
3	GEN-LTTAG-SG	0.94 x 0.50"	0.5ml	7x17	119	-40°C to 121°C	2975
4	GEN-LTTAG-SR	0.94 x 0.50"	0.5ml	7x17	119	-40°C to 121°C	2975
5	GEN-LTTAG-LW	1.28 x 0.50"	1.5ml	5x17	85	-40°C to 121°C	2125
6	GEN-LTTAG-LB	1.28 x 0.50"	1.5ml	5x17	85	-40°C to 121°C	2125
7	GEN-LTTAG-LG	1.28 x 0.50"	1.5ml	5x17	85	-40°C to 121°C	2125
8	GEN-LTTAG-LR	1.28 x 0.50"	1.5ml	5x17	85	-40°C to 121°C	2125

Genaxy Scientific Pvt. Ltd .